ELSEVIER

Journal of Organometallic Chemistry 559 (1998) 227

Journal of Organometallic Chemistry

Author index of Volume 559

Abdul Malik, K.M., 81
Allan, J.F., 173
Amberger, H.-D., 209
Ando, W., 11
Avtomonov, E.V., 191
Azam, K.A., 81

Belsky, V.K., 97
Bulychev, B.M., 97

Cardin, C.J., 23
Cheol Yoon, S., 149
Churakov, A.V., 1
Clarke, B., 55
Clarke, N., 55
Claver, C., 23
Clegg, W., 173
Cunningham, D., 55

de Souza, R.M., 37
Diéguez, M., 23
Ding, E.-R., 157
Donath, H., 191, 203

Ebert, K.H., 203
Echarri, R., 23
Edelmann, F.T., 209
El-Essawi, M., 191
Escarpa Gaede, P., 107

Fang, S., 131
Forniés-Cámer, J., 23

Gaukhman, A., 123

Henderson, K.W., 173
Herdtweck, E., 203
Higgins, T., 55
Hofmann, C., 219
Horsburgh, L., 173
Hursthouse, M.B., 81
Hussain, S.A., 81

Ihl Woo, S., 149
Iovel, I., 123

Jank, S., 209
Jin, R.-Z., 73

Kabir, S.E., 81
Keitsch, M.R., 181
Kennedy, A.R., 173
Khvostov, A.V., 97
Klapötke, T.M., 165
Klimova Berestneva, T., 1
Klimova, E.I., 1, 43
Klimova, T., 43
Knjazhanski, S.Y., 97
Kuang, S.-M., 31
Kunkely, H., 215, 223
Kusukawa, T., 11

Lehmus, P., 65
Lehtonen, A., 65
Leino, R., 65
Lorberth, J., 191, 203
Lukevics, E., 123
Luttikhedde, H.J., 65

Mak, T.C., 31
Martinez García, M., 1
Martins, F., 37
Martínez García, M., 43
Masdeu-Bultó, A.M., 23
Mashima, K., 197
Massa, W., 203
McArdle, P., 55
Meleshonkova, N.N., 1
Molander, G.A., 181
Moran, P.H., 107
Moreno Esparza, R., 1
Mühle, S., 181
Mukhlesur Rahman, M., 81

Nakamura, A., 197
Nakayama, Y., 197
Näsman, J.H., 65
Ní Cholchúin, M., 55

O'Gara, M., 55
Onitsuka, K., 91
Orejón, A., 23

Park, J.T., 149
Park, J.-W., 147
Pigge, F.C., 131
Popelis, J., 123

Rath, N.P., 131
Richarz, A.-N., 107
Rosenberg, E., 81
Ruíz Ramírez, L., 1, 43

Sarraje, I., 191
Scherer, J.O., 219
Schumann, H., 181
Seo, B.-S., 191, 203
Seok, W.K., 165
Seppälä, J.V., 65
Shibahara, T., 197
Sizov, A.I., 97
Sjöholm, R., 65
Smith, P.D., 141
Song, H., 147
Sook Jung, H., 147
Stein, E., 37
Sun, J., 157

Takahashi, S., 91
Takei, F., 91
Tamao, K., 73
Tung, S., 91

Vogler, A., 215, 223
von Dahlen, K.-H., 191

White, P.S., 165
Wilén, C.-E., 65
Winterfeld, J., 181
Wolmershäuser, G., 219
Wright, A.H., 141

Xue, F., 31

Yamaguchi, S., 73
Yanai, K., 91
Yim, S.B., 165
Yin, Y.-Q., 157

Zhang, Z.-Y., 31
Zhang, Z.-Z., 31

PII S0022-328X(98)00610-X

ELSEVIER

Journal of Organometallic Chemistry 559 (1998) 229–232

Journal of Organometallic Chemistry

Subject index of Volume 559

Ab initio
Solvent effects and molecular rearrangements during the reaction of Hauser bases with enolisable ketones: structural characterization of [{Bu^{t}C(=CH$_2$)OMgBr · HMPA}$_2$] and [MgBr$_2$ · (HMPA)$_2$]., 173
Ab initio calculation
Modification of the electronic structure of silole by the substituents on the ring silicon, 73
Absorption spectra
Electronic spectrum and photoreactivity of dichloro(1,5-cyclooctadiene)-palladium(II), 223
Actinides
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente XLVI: (COT)Ln^{III}(I)(THF)$_3$-Komplexe–Modellverbindungen für die experimentelle Aufklärung der Elektronenstrukturen von Halbsandwich-Komplexen der Stöchiometrie (COT)An^{IV}(I)$_2$(THF)$_2$, 209
ansa-Metallocene
rac-[Ethylenebis(2-(thexyldimethylsiloxy)indenyl)]zirconium dichloride: synthesis, molecular structure and olefin polymerization catalysis, 65
ansa-Zirconocene
Synthesis, structure, and catalytic properties of *ansa*-zirconocenes, Me$_2$Si(RInd)$_2$ZrCl$_2$ (R = 2-*p*- or 3-*p*-tolyl), 149
(arene)chromium
Reduction of tricarbonyl(η^6-Indole)chromium(0) complexes, 131
Arene–phosphine
Synthesis and structure of a chelating arene–ruthenium complex [RuCl$_2$(PPh$_2$(CH$_2$)$_3$-η^6-C$_6$H$_5$)], 141
Arene thiolato
Mononuclear η^8-cyclooctatetraenyl(thiolato)samarium(III) complexes (η^8-C$_8$H$_8$)Sm(SR)(hmpa)$_2$ (R = 2,4,6-triisopropylphenyl and 2-pyridyl; HMPA = hexamethylphosphoric triamide) derived from metallic samarium, diaryl disulfide, and 1,3,5,7-cyclooctatetraene in the presence of HMPA, 197
Azides
Synthesis, structural characterization and semiempirical calculations of the ruthenium azide complex [Ru(tpy)(PPh$_3$)$_2$(N$_3$)][ClO$_4$], 165

Bridging ability
Solvent effects and molecular rearrangements during the reaction of Hauser bases with enolisable ketones: structural characterization of [{Bu^{t}C(=CH$_2$)OMgBr · HMPA}$_2$] and [MgBr$_2$ · (HMPA)$_2$]., 173

Carbocation
Mutual *Z*-/*E*-isomerization of ferrocenylmethylene- and arylidene-substituted carbo- and heterocycles, 43
Carbonyl
Triosmium clusters containing thiazolide ligand: crystal structures of [(μ-H)Os$_3$(CO)$_{10}$(μ-3,4-η^2-HC=NC=CHS)] and [(μ-H)Os$_3$(CO)$_9$(μ-3,4-η^2-HC=NC=CHS)(PPh$_3$)], 81
Catalytic activity
Organometallic compounds of the lanthanides. CXXIII. Lanthanide bent-sandwich complexes with the bulky tetramethyl-*iso*-propylcyclopentadienyl ligand—synthesis, structures and catalytic activity for the hydrosilylation of alkenes/alkynes, 181
Charge transfer
Photo-oxidation of bis[1,2-bis(diphenylphosphino)ferrocene]-palladium(0) in CCl$_4$ induced by ferrocene to solvent charge transfer excitation, 215
Chiral
Synthesis, characterization and reaction of the cluster complexes containing tetrahedral core MRuCoSe. The single crystal X-ray structures of the clusters RuCoMo(CO)$_8$(μ_3-Se)C$_5$H$_4$C(O)R [R = CH$_3$, C$_6$H$_4$C(O)OCH$_3$], 157
Cleavage
Metal–metal bond cleavage in the trinuclear clusters M$_3$(CO)$_{12-n}$(Ph$_2$Ppy)$_n$ (M = Ru, n = 3; Os, n = 1; Ph$_2$Ppy = 2-(diphenylphosphino)pyridine) by Lewis acids, 31
Cluster
[Cp*FeP$_6$MoCp*]: A dinuclear complex with a P$_4$ and a P$_2$ ligand, 219
Cluster complex
Synthesis, characterization and reaction of the cluster complexes containing tetrahedral core MRuCoSe. The single crystal X-ray structures of the clusters RuCoMo(CO)$_8$(μ_3-Se)C$_5$H$_4$C(O)R [R = CH$_3$, C$_6$H$_4$C(O)OCH$_3$], 157
Complex catalysis
Hydrosilylation of unsaturated (hetero)aromatic aldehydes and related compounds catalyzed by transition metal complexes, 123
σ^*–π^* Conjugation
Modification of the electronic structure of silole by the substituents on the ring silicon, 73
Copper
Transition-metal Schiff-base complexes as ligands in tin chemistry. Part 7. Reactions of organotin(IV) Lewis acids with [M(L)]$_2$ [M = Ni, Cu and Zn; H$_2$L = *N*,*N*′-bis(3-methoxysalicylidene)benzene-1,3-diamine and its -1,4-diamine analog], 55
Crystal field parameters
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente XLVI: (COT)Ln^{III}(I)(THF)$_3$-Komplexe–Modellverbindungen für die experimentelle Aufklärung der Elektronenstrukturen von Halbsandwich-Komplexen der Stöchiometrie (COT)An^{IV}(I)$_2$(THF)$_2$, 209
Crystal structure
Organoplatinum compounds VII: Trimethylplatinum fluoride [(CH$_3$)$_3$PtF]$_4$, the missing link in organoplatinum cluster chemistry: its synthesis, crystal structure and a comparison to the crystal structure of [(CH$_3$)$_3$PtOH]$_4$, 191
Organoplatinum compounds: VI. Trimethylplatinum thiomethylate and trimethylplatinum iodide. The crystal structures of [(CH$_3$)$_3$PtS(CH$_3$)]$_4$ and [(CH$_3$)$_3$PtI]$_4$·0.5CH$_3$I, 203

PII S0022-328X(98)00611-1

Solvent effects and molecular rearrangements during the reaction of Hauser bases with enolisable ketones: structural characterization of [{$Bu^tC(=CH_2)OMgBr \cdot HMPA\}_2$] and [$MgBr_2 \cdot (HMPA)_2$]., 173
Synthesis, characterization and reaction of the cluster complexes containing tetrahedral core MRuCoSe. The single crystal X-ray structures of the clusters $RuCoMo(CO)_8(\mu_3\text{-}Se)C_5H_4C(O)R$ [R = CH_3, $C_6H_4C(O)OCH_3$], 157
Synthesis, structure, and catalytic properties of *ansa*-zirconocenes, $Me_2Si(RInd)_2ZrCl_2$ (R = 2-*p*- or 3-*p*-tolyl), 149
Triosmium clusters containing thiazolide ligand: crystal structures of [$(\mu\text{-}H)Os_3(CO)_{10}(\mu\text{-}3,4\text{-}\eta^2\text{-}HC{=}NC{=}CHS)$] and [$(\mu\text{-}H)Os_3(CO)_9(\mu\text{-}3,4\text{-}\eta^2\text{-}HC{=}NC{=}CHS)(PPh_3)$], 81

Cyclooctatetraenyl ligand
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente XLVI: $(COT)Ln^{III}(I)(THF)_3$-Komplexe–Modellverbindungen für die experimentelle Aufklärung der Elektronenstrukturen von Halbsandwich-Komplexen der Stöchiometrie $(COT)An^{IV}(I)_2(THF)_2$, 209

Cyclopentadienyl
Transition metal complexes of 2-cyclopentadienyl-2-indenylpropane, 107

Cyclopentadienylnickel
Polymerization of aryl isocyanides by cyclopentadienylnickel–alkynyl complexes, 91

Cyclopropene
Formation of acetylenic compounds and ring transformations of 3-alkyl-3-ferrocenylcyclopropenes in the reaction with 1,3-diphenylisobenzofuran, 1

Cydooctatetraene
Mononuclear η^8-cyclooctatetraenyl(thiolato)samarium(III) complexes ($\eta^8\text{-}C_8H_8$)Sm(SR)(hmpa)$_2$ (R = 2,4,6-triisopropylphenyl and 2-pyridyl; HMPA = hexamethylphosphoric triamide) derived from metallic samarium, diaryl disulfide, and 1,3,5,7-cyclooctatetraene in the presence of HMPA, 197

Diastereomerization
Synthesis, structure, and catalytic properties of *ansa*-zirconocenes, $Me_2Si(RInd)_2ZrCl_2$ (R = 2-*p*- or 3-*p*-tolyl), 149

Diimines
Reaction of $[Os_3(CO)_{10}(MeCN)_2]$ with 2,3-bis(2-pyridyl)pyrazine and pyrazyne. Synthesis, characterization and electrochemical behavior of 1:1 and 1:2 ligand:cluster complexes, 37

Disilane
Photochemical functionalizations of C_{60} with phenylpolysilanes, 11

Disulfide
Mononuclear η^8-cyclooctatetraenyl(thiolato)samarium(III) complexes ($\eta^8\text{-}C_8H_8$)Sm(SR)(hmpa)$_2$ (R = 2,4,6-triisopropylphenyl and 2-pyridyl; HMPA = hexamethylphosphoric triamide) derived from metallic samarium, diaryl disulfide, and 1,3,5,7-cyclooctatetraene in the presence of HMPA, 197

Dithioether
Rhodium cationic complexes using dithioethers as chiral ligands. Application in styrene hydroformylation, 23

Electrochemistry
Reaction of $[Os_3(CO)_{10}(MeCN)_2]$ with 2,3-bis(2-pyridyl)pyrazine and pyrazyne. Synthesis, characterization and electrochemical behavior of 1:1 and 1:2 ligand:cluster complexes, 37
Synthesis and structure of a chelating arene–ruthenium complex [$RuCl_2(PPh_2(CH_2)_3\text{-}\eta^6\text{-}C_6H_5)$], 141

Equilibria
Solvent effects and molecular rearrangements during the reaction of Hauser bases with enolisable ketones: structural characterization of [{$Bu^tC(=CH_2)OMgBr \cdot HMPA\}_2$] and [$MgBr_2 \cdot (HMPA)_2$]., 173

Ethene polymerization
Synthesis, structure and properties of divalent bis(di-*tert*-butylcyclopentadienyl)ytterbium complexes with diethyl ether and 1,2-dimethoxyethane, 97

Ferrocene
Formation of acetylenic compounds and ring transformations of 3-alkyl-3-ferrocenylcyclopropenes in the reaction with 1,3-diphenylisobenzofuran, 1
Mutual *Z*-/*E*-isomerization of ferrocenylmethylene- and arylidene-substituted carbo- and heterocycles, 43

Ferrocene complexes
Photo-oxidation of bis[1,2-bis(diphenylphosphino)ferrocene]-palladium(0) in CCl_4 induced by ferrocene to solvent charge transfer excitation, 215

Fullerene
Photochemical functionalizations of C_{60} with phenylpolysilanes, 11

(Hetero)aromatic aldehydes
Hydrosilylation of unsaturated (hetero)aromatic aldehydes and related compounds catalyzed by transition metal complexes, 123

Hydroformylation
Rhodium cationic complexes using dithioethers as chiral ligands. Application in styrene hydroformylation, 23

Hydrosilylation
Hydrosilylation of unsaturated (hetero)aromatic aldehydes and related compounds catalyzed by transition metal complexes, 123
Organometallic compounds of the lanthanides. CXXIII. Lanthanide bent-sandwich complexes with the bulky tetramethyl-*iso*-propylcyclopentadienyl ligand—synthesis, structures and catalytic activity for the hydrosilylation of alkenes/alkynes, 181

Indenyl
rac-[Ethylenebis(2-(thexyldimethylsiloxy)indenyl)]zirconium dichloride: synthesis, molecular structure and olefin polymerization catalysis, 65

Indole
Reduction of tricarbonyl(η^6-Indole)chromium(0) complexes, 131

Indoline
Reduction of tricarbonyl(η^6-Indole)chromium(0) complexes, 131

Iron
[Cp*FeP_6MoCp*]: A dinuclear complex with a P_4 and a P_2 ligand, 219
Formation of acetylenic compounds and ring transformations of 3-alkyl-3-ferrocenylcyclopropenes in the reaction with 1,3-diphenylisobenzofuran, 1

Isocyanides
Polymerization of aryl isocyanides by cyclopentadienylnickel–alkynyl complexes, 91

Lanthanides
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente XLVI: $(COT)Ln^{III}(I)(THF)_3$-Komplexe–Modellverbindungen für die experimentelle Aufklärung der Elektronenstrukturen von Halbsandwich-Komplexen der Stöchiometrie $(COT)An^{IV}(I)_2(THF)_2$, 209

Lanthanidocene
Organometallic compounds of the lanthanides. CXXIII. Lanthanide bent-sandwich complexes with the bulky tetramethyl-*iso*-propylcyclopentadienyl ligand—synthesis, structures and catalytic activity for the hydrosilylation of alkenes/alkynes, 181

Lewis acid
Metal–metal bond cleavage in the trinuclear clusters $M_3(CO)_{12-n}(Ph_2Ppy)_n$ (M = Ru, $n = 3$; Os, $n = 1$; Ph_2Ppy = 2-(diphenylphosphino)pyridine) by Lewis acids, 31

Magnesium enolate
Solvent effects and molecular rearrangements during the reaction of Hauser bases with enolisable ketones: structural characterization of $[\{Bu^tC(=CH_2)OMgBr \cdot HMPA\}_2]$ and $[MgBr_2 \cdot (HMPA)_2]$., 173
Magnesium halide
Solvent effects and molecular rearrangements during the reaction of Hauser bases with enolisable ketones: structural characterization of $[\{Bu^tC(=CH_2)OMgBr \cdot HMPA\}_2]$ and $[MgBr_2 \cdot (HMPA)_2]$., 173
Metal center
Transition metal complexes of 2-cyclopentadienyl-2-indenylpropane, 107
Metallocenes
Synthesis, structure and properties of divalent bis(di-*tert*-butylcyclopentadienyl)ytterbium complexes with diethyl ether and 1,2-dimethoxyethane, 97
Metal–metal bond
Metal–metal bond cleavage in the trinuclear clusters $M_3(CO)_{12-n}(Ph_2Ppy)_n$ (M = Ru, $n = 3$; Os, $n = 1$; Ph_2Ppy = 2-(diphenylphosphino)pyridine) by Lewis acids, 31
MO calculations
Solvent effects and molecular rearrangements during the reaction of Hauser bases with enolisable ketones: structural characterization of $[\{Bu^tC(=CH_2)OMgBr \cdot HMPA\}_2]$ and $[MgBr_2 \cdot (HMPA)_2]$., 173
Molybdenum
[Cp*FeP_6MoCp^*]: A dinuclear complex with a P_4 and a P_2 ligand, 219
Mössbauer
Transition-metal Schiff-base complexes as ligands in tin chemistry. Part 7. Reactions of organotin(IV) Lewis acids with $[M(L)]_2$ [M = Ni, Cu and Zn; H_2L = *N*,*N*′-bis(3-methoxysalicylidene)benzene-1,3-diamine and its -1,4-diamine analog], 55
Multiple insertion
Polymerization of aryl isocyanides by cyclopentadienylnickel–alkynyl complexes, 91

Nickel
Transition-metal Schiff-base complexes as ligands in tin chemistry. Part 7. Reactions of organotin(IV) Lewis acids with $[M(L)]_2$ [M = Ni, Cu and Zn; H_2L = *N*,*N*′-bis(3-methoxysalicylidene)benzene-1,3-diamine and its -1,4-diamine analog], 55
Nickel acetylides
Polymerization of aryl isocyanides by cyclopentadienylnickel–alkynyl complexes, 91

Olefin polymerization
rac-[Ethylenebis(2-(thexyldimethylsiloxy)indenyl)]zirconium dichloride: synthesis, molecular structure and olefin polymerization catalysis, 65
Oligosilane
Photochemical functionalizations of C_{60} with phenylpolysilanes, 11
Optical spectra
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente XLVI: $(COT)Ln^{III}(I)(THF)_3$-Komplexe–Modellverbindungen für die experimentelle Aufklärung der Elektronenstrukturen von Halbsandwich-Komplexen der Stöchiometrie $(COT)An^{IV}(I)_2(THF)_2$, 209

Organoplatinum compounds
Organoplatinum compounds VII: Trimethylplatinum fluoride $[(CH_3)_3PtF]_4$, the missing link in organoplatinum cluster chemistry: its synthesis, crystal structure and a comparison to the crystal structure of $[(CH_3)_3PtOH]_4$, 191
Organoplatinum compounds: VI. Trimethylplatinum thiomethylate and trimethylplatinum iodide. The crystal structures of $[(CH_3)_3PtS(CH_3)]_4$ and $[(CH_3)_3PtI]_4 \cdot 0.5CH_3I$, 203
Osmium
Metal–metal bond cleavage in the trinuclear clusters $M_3(CO)_{12-n}(Ph_2Ppy)_n$ (M = Ru, $n = 3$; Os, $n = 1$; Ph_2Ppy = 2-(diphenylphosphino)pyridine) by Lewis acids, 31
Triosmium clusters containing thiazolide ligand: crystal structures of $[(\mu\text{-H})Os_3(CO)_{10}(\mu\text{-3,4-}\eta^2\text{-HC=NC=CHS})]$ and $[(\mu\text{-H})Os_3(CO)_9(\mu\text{-3,4-}\eta^2\text{-HC=NC=CHS})(PPh_3)]$, 81

Palladium complexes
Electronic spectrum and photoreactivity of dichloro(1,5-cyclooctadiene)-palladium(II), 223
Photo-oxidation of bis[1,2-bis(diphenylphosphino)ferrocene]-palladium(0) in CCl_4 induced by ferrocene to solvent charge transfer excitation, 215
Phosphine
Triosmium clusters containing thiazolide ligand: crystal structures of $[(\mu\text{-H})Os_3(CO)_{10}(\mu\text{-3,4-}\eta^2\text{-HC=NC=CHS})]$ and $[(\mu\text{-H})Os_3(CO)_9(\mu\text{-3,4-}\eta^2\text{-HC=NC=CHS})(PPh_3)]$, 81
Phosphorus
[Cp*FeP_6MoCp^*]: A dinuclear complex with a P_4 and a P_2 ligand, 219
Photochemistry
Electronic spectrum and photoreactivity of dichloro(1,5-cyclooctadiene)-palladium(II), 223
Photo-oxidation of bis[1,2-bis(diphenylphosphino)ferrocene]-palladium(0) in CCl_4 induced by ferrocene to solvent charge transfer excitation, 215
Platinum
Organoplatinum compounds VII: Trimethylplatinum fluoride $[(CH_3)_3PtF]_4$, the missing link in organoplatinum cluster chemistry: its synthesis, crystal structure and a comparison to the crystal structure of $[(CH_3)_3PtOH]_4$, 191
Organoplatinum compounds: VI. Trimethylplatinum thiomethylate and trimethylplatinum iodide. The crystal structures of $[(CH_3)_3PtS(CH_3)]_4$ and $[(CH_3)_3PtI]_4 \cdot 0.5CH_3I$, 203
Platinum fluoride
Organoplatinum compounds VII: Trimethylplatinum fluoride $[(CH_3)_3PtF]_4$, the missing link in organoplatinum cluster chemistry: its synthesis, crystal structure and a comparison to the crystal structure of $[(CH_3)_3PtOH]_4$, 191
Platinum hydroxide
Organoplatinum compounds VII: Trimethylplatinum fluoride $[(CH_3)_3PtF]_4$, the missing link in organoplatinum cluster chemistry: its synthesis, crystal structure and a comparison to the crystal structure of $[(CH_3)_3PtOH]_4$, 191
Platinum iodide
Organoplatinum compounds: VI. Trimethylplatinum thiomethylate and trimethylplatinum iodide. The crystal structures of $[(CH_3)_3PtS(CH_3)]_4$ and $[(CH_3)_3PtI]_4 \cdot 0.5CH_3I$, 203
Platinum metal group
Organoplatinum compounds VII: Trimethylplatinum fluoride $[(CH_3)_3PtF]_4$, the missing link in organoplatinum cluster chemistry: its synthesis, crystal structure and a comparison to the crystal structure of $[(CH_3)_3PtOH]_4$, 191
Organoplatinum compounds: VI. Trimethylplatinum thiomethylate and trimethylplatinum iodide. The crystal structures of $[(CH_3)_3PtS(CH_3)]_4$ and $[(CH_3)_3PtI]_4 \cdot 0.5CH_3I$, 203

Platinum thiolate
Organoplatinum compounds: VI. Trimethylplatinum thiomethylate and trimethylplatinum iodide. The crystal structures of $[(CH_3)_3PtS(CH_3)]_4$ and $[(CH_3)_3PtI]_4 \cdot 0.5CH_3I$, 203
'P6' ligand
[Cp*FeP_6MoCp*]: A dinuclear complex with a P_4 and a P_2 ligand, 219
Polymerization
Polymerization of aryl isocyanides by cyclopentadienylnickel–alkynyl complexes, 91
Propylene polymerization
Synthesis, structure, and catalytic properties of *ansa*-zirconocenes, $Me_2Si(RInd)_2ZrCl_2$ (R = 2-*p*- or 3-*p*-tolyl), 149
Pyridine-2-thiolato
Mononuclear η^8-cyclooctatetraenyl(thiolato)samarium(III) complexes $(\eta^8\text{-}C_8H_8)Sm(SR)(hmpa)_2$ (R = 2,4,6-triisopropylphenyl and 2-pyridyl; HMPA = hexamethylphosphoric triamide) derived from metallic samarium, diaryl disulfide, and 1,3,5,7-cyclooctatetraene in the presence of HMPA, 197

Quinuclidinone
Mutual *Z*-/*E*-isomerization of ferrocenylmethylene- and arylidene-substituted carbo- and heterocycles, 43

Raman Spectra
Synthesis, structural characterization and semiempirical calculations of the ruthenium azide complex $[Ru(tpy)(PPh_3)_2(N_3)][ClO_4]$, 165
Reduction
Reduction of tricarbonyl(η^6-Indole)chromium(0) complexes, 131
Rhodium
Rhodium cationic complexes using dithioethers as chiral ligands. Application in styrene hydroformylation, 23
Rhodium(I)
Hydrosilylation of unsaturated (hetero)aromatic aldehydes and related compounds catalyzed by transition metal complexes, 123
Ruthenium
Metal–metal bond cleavage in the trinuclear clusters $M_3(CO)_{12-n}(Ph_2Ppy)_n$ (M = Ru, $n = 3$; Os, $n = 1$; Ph_2Ppy = 2-(diphenylphosphino)pyridine) by Lewis acids, 31
Synthesis and structure of a chelating arene–ruthenium complex $[RuCl_2(PPh_2(CH_2)_3\text{-}\eta^6\text{-}C_6H_5)]$, 141
Synthesis, structural characterization and semiempirical calculations of the ruthenium azide complex $[Ru(tpy)(PPh_3)_2(N_3)][ClO_4]$, 165

Salicylaldimine
Transition-metal Schiff-base complexes as ligands in tin chemistry. Part 7. Reactions of organotin(IV) Lewis acids with $[M(L)]_2$ [M = Ni, Cu and Zn; H_2L = *N*,*N*′-bis(3-methoxysalicylidene)benzene-1,3-diamine and its -1,4-diamine analog], 55
Samarium
Mononuclear η^8-cyclooctatetraenyl(thiolato)samarium(III) complexes $(\eta^8\text{-}C_8H_8)Sm(SR)(hmpa)_2$ (R = 2,4,6-triisopropylphenyl and 2-pyridyl; HMPA = hexamethylphosphoric triamide) derived from metallic samarium, diaryl disulfide, and 1,3,5,7-cyclooctatetraene in the presence of HMPA, 197
Silole
Modification of the electronic structure of silole by the substituents on the ring silicon, 73
Siloxy
rac-[Ethylenebis(2-(thexyldimethylsiloxy)indenyl)]zirconium dichloride: synthesis, molecular structure and olefin polymerization catalysis, 65
Sodium cyanoborohydride
Reduction of tricarbonyl(η^6-Indole)chromium(0) complexes, 131
Solvent effects
Solvent effects and molecular rearrangements during the reaction of Hauser bases with enolisable ketones: structural characterization of $[\{Bu^tC(=CH_2)OMgBr \cdot HMPA\}_2]$ and $[MgBr_2 \cdot (HMPA)_2]$., 173
Substituent effect
Modification of the electronic structure of silole by the substituents on the ring silicon, 73
Substituted cyclopentadienyls
Synthesis, structure and properties of divalent bis(di-*tert*-butylcyclopentadienyl)ytterbium complexes with diethyl ether and 1,2-dimethoxyethane, 97
Substitution
Triosmium clusters containing thiazolide ligand: crystal structures of $[(\mu\text{-}H)Os_3(CO)_{10}(\mu\text{-}3,4\text{-}\eta^2\text{-}HC{=}NC{=}CHS)]$ and $[(\mu\text{-}H)Os_3(CO)_9(\mu\text{-}3,4\text{-}\eta^2\text{-}HC{=}NC{=}CHS)(PPh_3)]$, 81
Syntheses
Reaction of $[Os_3(CO)_{10}(MeCN)_2]$ with 2,3-bis(2-pyridyl)pyrazine and pyrazyne. Synthesis, characterization and electrochemical behavior of 1:1 and 1:2 ligand:cluster complexes, 37

Thiazolide
Triosmium clusters containing thiazolide ligand: crystal structures of $[(\mu\text{-}H)Os_3(CO)_{10}(\mu\text{-}3,4\text{-}\eta^2\text{-}HC{=}NC{=}CHS)]$ and $[(\mu\text{-}H)Os_3(CO)_9(\mu\text{-}3,4\text{-}\eta^2\text{-}HC{=}NC{=}CHS)(PPh_3)]$, 81
Three-membered ring opening
Formation of acetylenic compounds and ring transformations of 3-alkyl-3-ferrocenylcyclopropenes in the reaction with 1,3-diphenylisobenzofuran, 1
Tin
Transition-metal Schiff-base complexes as ligands in tin chemistry. Part 7. Reactions of organotin(IV) Lewis acids with $[M(L)]_2$ [M = Ni, Cu and Zn; H_2L = *N*,*N*′-bis(3-methoxysalicylidene)benzene-1,3-diamine and its -1,4-diamine analog], 55
Tolylindene
Synthesis, structure, and catalytic properties of *ansa*-zirconocenes, $Me_2Si(RInd)_2ZrCl_2$ (R = 2-*p*- or 3-*p*-tolyl), 149
Transition metal
Synthesis, characterization and reaction of the cluster complexes containing tetrahedral core MRuCoSe. The single crystal X-ray structures of the clusters $RuCoMo(CO)_8(\mu_3\text{-}Se)C_5H_4C(O)R$ [R = CH_3, $C_6H_4C(O)OCH_3$], 157
Transition metal complexes of 2-cyclopentadienyl-2-indenylpropane, 107
Triosmium clusters
Reaction of $[Os_3(CO)_{10}(MeCN)_2]$ with 2,3-bis(2-pyridyl)pyrazine and pyrazyne. Synthesis, characterization and electrochemical behavior of 1:1 and 1:2 ligand:cluster complexes, 37

UV absorption spectra
Modification of the electronic structure of silole by the substituents on the ring silicon, 73

X-ray analysis
Formation of acetylenic compounds and ring transformations of 3-alkyl-3-ferrocenylcyclopropenes in the reaction with 1,3-diphenylisobenzofuran, 1

Ytterbium(+ 2)
Synthesis, structure and properties of divalent bis(di-*tert*-butylcyclopentadienyl)ytterbium complexes with diethyl ether and 1,2-dimethoxyethane, 97

Z-/*E*-isomerization
Mutual *Z*-/*E*-isomerization of ferrocenylmethylene- and arylidene-substituted carbo- and heterocycles, 43
ZINDO Calculations
Synthesis, structural characterization and semiempirical calculations of the ruthenium azide complex $[Ru(tpy)(PPh_3)_2(N_3)][ClO_4]$, 165
Zirconium
rac-[Ethylenebis(2-(thexyldimethylsiloxy)indenyl)]zirconium dichloride: synthesis, molecular structure and olefin polymerization catalysis, 65
Zwitter-ion
Formation of acetylenic compounds and ring transformations of 3-alkyl-3-ferrocenylcyclopropenes in the reaction with 1,3-diphenylisobenzofuran, 1